

MICRO SPRAYS

Uses: **Trees, Shrubs, Containers, and Flower Beds**

SOLO-DRIP

- Eight streams of water for accurate watering
- Fingertip cap control for flow and radius adjustment
- Operating specifications: 1.0 to 2.5 bar; 100 to 250 kPa
- Warranty period: 1 year


HALO-SPRAY

- Large diameter, umbrella of water
- Adjust radius as needed
- Combine several for a “blanket” of water
- Operating specifications: 1.0 to 2.5 bar; 100 to 250 kPa
- Warranty period: 1 year

TRIO-SPRAY


- Full-, half-, and quarter-circle configurations
- Functions like big sprays on a micro level
- Control knob for specific adjustment
- Operating specifications: 0.5 to 2.5 bar; 50 to 250 kPa
- Warranty period: 1 year

SOLO-DRIP PERFORMANCE DATA

	Pressure bar	Flow l/hr	Throw Diameter (m)
	1.0	0 - 40	0 - 0.5
	1.5	0 - 50	0 - 0.6
	2.0	0 - 60	0 - 0.8


Note: Adjustable to Maximum (approx. 20 clicks)

HALO-SPRAY PERFORMANCE DATA

	Pressure bar	Flow l/hr	Throw Diameter (m)
	1.0	0 - 52	0 - 1.7
	1.5	0 - 65	0 - 2.8
	2.0	0 - 74	0 - 3.4

Note: Adjustable to Maximum (approx. 14 clicks)

TRIO-SPRAY PERFORMANCE DATA

	Pressure bar	Flow l/hr	Spray Pattern (m)		
			Diameter in Throw 360° x 18 Hole	Radius of Throw 180°	90°
	0.5	0 - 54	0 - 5.0	0 - 2.0	0 - 1.5
	1.0	0 - 77	0 - 5.8	0 - 2.5	0 - 2.1
	1.5	0 - 94	0 - 6.4	0 - 2.9	0 - 2.6
	2.0	0 - 105	0 - 7.0	0 - 3.2	0 - 3.0
	2.5	0 - 119	0 - 7.5	0 - 3.5	0 - 3.3

SOLO-DRIP



[A] SD-T: 2.4 cm H x 2.0 cm W x 1.6 cm D

[B] SD-B: 2.4 cm H x 2.0 cm W x 1.6 cm D

[C] SD-B-STK: 15.2 cm H x 4.3 cm W x 1.6 cm D

HALO-SPRAY



[A] HS-T: 2.4 cm H x 2.0 cm W x 1.6 cm D

[B] HS-B: 2.4 cm H x 2.0 cm W x 1.6 cm D

[C] HS-B-STK: 15.2 cm H x 4.3 cm W x 1.6 cm D

TRIO-SPRAY



[A] TS-F: 3.8 cm H x 2.3 cm W x 1.5 cm D

[B] TS-H: 3.8 cm H x 2.3 cm W x 1.5 cm D

[C] TS-Q: 3.8 cm H x 2.3 cm W x 1.5 cm D

MICRO SPRAY MODELS

Model	Description
SD-T	Solo-Drip with 10-32 Threads, 360°
SD-B	Solo-Drip with Barb, 360°
SD-B-STK	Solo-Drip with Barb with stake, 360°
HS-T	Halo-Spray with 10-32 Threads, 360°
HS-B	Halo-Spray with Barb, 360°
HS-B-STK	Halo-Spray with Barb with stake, 360°
TS-T-F	Trio-Spray with 10-32 Threads, 360°
TS-T-H	Trio-Spray with 10-32 Threads, 180°
TS-T-Q	Trio-Spray with 10-32 Threads, 90°